NSN 5985-01-055-8116

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-055-8116
Application Design:
Transmission line
Body Material:
Steel, corrosion resisting
Body Style:
Err-090
Terminal Material:
Brass
Body Surface Treatment:
Passivated
Overall Length:
1.630 inches
Overall Diameter:
0.375 inches
Operating Tempurature Range:
+13.0/+35.0 degrees celsius
Voltage Standing Wave Ratio:
1.10
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
Sma
Power Rating:
100.0 milliwatts average
Rf Signal Attenuation In Decibels:
10.0
Voltage Standing Wave Ratio Frequency Range:
+420.0/+450.0 megahertz
Attenuation Accuracy In Decibels:
-0.20/+0.20
Connection Type Per Function:
Female input and male output
Marine Mathed

Mounting Method:

Connector

Terminal Type And Quantity:

2 connector

Frequency Range:

Between 420.000 megahertz and 450.000 megahertz

Fsc Application Data:

Antennas, waveguides, and related equipment

NSN 5985-01-055-8116

Fixed Attenuator - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000