## NSN 5985-01-062-3460

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-062-3460

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

## **Tubing Wall Construction Style:**

Interlocked single tubing segment

## Flange Quantity:

2

#### Flange Inside Width:

0.705 inches all flanges

#### Flange Inside Height:

0.394 inches all flanges

#### Flange Outside Width:

1.313 inches all flanges

#### Flange Outside Height:

1.313 inches all flanges

#### Flange Depth:

0.313 inches all flanges

#### Flange Connecting Hole Diameter:

0.144 inches all flanges single connection facility

#### Voltage Standing Wave Ratio:

1.15

## Insertion Loss In Decibels:

0.10

#### Maximum Operating Pressure:

34.0 pounds per square inch gage

#### Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges single connection facility

#### Flange Style:

Cover type all flanges

## Waveguide Length:

3.620 inches

#### Flexibility:

Flexible single tubing segment

#### Material:

Rubber single tubing jacket

#### **Precious Material And Location:**

Flange surface and tubing surface silver

#### **Precious Material:**

Silver

#### Surface Treatment:

Silver all flange outside surfaces

## Style Designator:

Straight type

# NSN 5985-01-062-3460

Waveguide Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0

