NSN 5985-01-062-4514

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-062-4514

Cross Sectional Sh	ape:
--------------------	------

Internal, rectangular external, rectangular

Bend Angle In Deg:

90.0 single bend e-plane

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.622 inches all flanges

Flange Inside Height:

0.311 inches all flanges

Flange Outside Width:

1.312 inches all flanges

Flange Outside Height:

1.312 inches all flanges

Flange Depth:

0.375 inches all flanges

Flange Connecting Hole Diameter:

0.144 inches all flanges single connection facility

Voltage Standing Wave Ratio:

1.05

Insertion Loss In Decibels:

0.05

Maximum Operating Pressure:

15.0 pounds per square inch gage

Waveguide Outside Width:

0.702 inches

Waveguide Inside Width:

0.622 inches

Waveguide Inside Height:

0.311 inches

Waveguide Outside Height:

0.391 inches

Waveguide Longer Offset Distance:

2.500 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges single connection facility

Flange Style:

Cover type all flanges

Waveguide Offset Distance:

0.875 inches

NSN 5985-01-062-4514 Waveguide Assembly - Page 2 of 2



Flexibility:
Rigid single tubing segment
Material:
Copper alloy single tubing segment
Surface Treatment:
Enamel all tubing segment outside surfaces
Style Designator:
Bend type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A073a0