NSN 5985-01-063-2091

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-063-2091

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
6.220 inches
Overall Height:
2.130 inches
Overall Width:
2.875 inches
Shaft Diameter:
0.250 inches
Shaft Length:
0.720 inches
Voltage Standing Wave Ratio:
1.30
Coaxial Connector Series Designation:
N or tnc
Power Rating:
500.0 milliwatts average
Mounting Facility Screw Thread Series Designator:
Unc
Insertion Loss At Minimum Attenuation In Maximum Decibels:
0.75
Overall Attenuation Range In Decibels:
+0.0/+120.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
12
Attenuation Per Step In Decibels:
10.0
Mounting Facility Type And Quantity:
5 threaded hole
Frequency Range:
Between 0.000 hertz and 525.000 megahertz
Mounting Thread Quantity:
32 per inch
Adjustment Device Type And Quantity:
1 shaft
Shaft Type:

Round

NSN 5985-01-063-2091

Variable Attenuator - Page 2 of 2

Fiig: A223a0



Mounting Facility Screw Thread Diameter: 0.138 inches Impedance Rating In Ohms: 50.0 input-output Terminal Type And Quantity: 1 connector, coaxial, male and 1 connector, coaxial, female Shelf Life: N/a Unit Of Measure: --Demilitarization: No