# NSN 5985-01-064-0540

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-064-0540

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

Bend Angle In Deg:

90.0 single bend e-plane

**Tubing Wall Construction Style:** 

Seamless single tubing segment

Flange Quantity:

2

#### Flange Inside Width:

0.705 inches all flanges

#### Flange Inside Height:

0.394 inches all flanges

Flange Outside Width:

1.313 inches all flanges

Flange Outside Height:

1.313 inches all flanges

#### Flange Depth:

0.313 inches all flanges

Flange Connecting Hole Diameter:

0.144 inches all flanges all connection facilities

## Voltage Standing Wave Ratio:

1.05

Insertion Loss In Decibels:

0.05

#### Maximum Operating Pressure:

15.0 pounds per square inch gage

#### Waveguide Outside Width:

0.702 inches

#### Waveguide Inside Width:

0.622 inches

#### Waveguide Inside Height:

0.311 inches

#### Waveguide Outside Height:

0.391 inches

#### Waveguide Longer Offset Distance:

2.750 inches

### Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges single connection facility

#### Flange Style:

Cover type all flanges

### Waveguide Offset Distance:

1.250 inches

# NSN 5985-01-064-0540

Waveguide Assembly - Page 2 of 2



Flexibility:

Rigid single tubing segment

Material:

Copper alloy single tubing segment

Surface Treatment:

Any acceptable single tubing segment inside surfaces

Style Designator:

Bend type

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A073a0