

View Online at <https://aerobasegroup.com/nsn/5985-01-064-5906>

**Application Design:**

Transmission line

**Body Style:**

Coaxial type

**Overall Length:**

7.560 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.250 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.310 inches

**Overall Height:**

2.720 inches

**Voltage Standing Wave Ratio:**

1.45

**Power Rating:**

2.0 watts average and 200.0 watts peak

**Mounting Facility Screw Thread Series Designator:**

Unc

**Overall Attenuation Range In Decibels:**

+0.0/+60.0

**Attenuation Variation Method:**

Stepped

**Step Position Quantity:**

7

**Frequency Range:**

Between 0.000 hertz and 18.000 gigahertz

**Overall Attenuation Accuracy In Decibels:**

+0.50/+1.50

**Mounting Thread Quantity:**

32 per inch

**Mounting Facility Pattern:**

Four position rectangular

**Mounting Facility Screw Thread Diameter:**

0.138 inches

**Impedance Rating In Ohms:**

50.0 input-output

**Terminal Type And Quantity:**

3 connector, coaxial, female

**Reference Number Differentiating Characteristics:**

As differentiated by mfg source control drawing number

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A223a0