NSN 5985-01-068-1404

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-068-1404

Application Design:
Transmission line
Body Material:
Aluminum and aluminum alloy
Body Style:
Coaxial type
Overall Length:
3.130 inches
Overall Height:
2.060 inches
Overall Width:
1.670 inches
Operating Tempurature Range:
-0.0/+54.0 degrees celsius
End Application:
An/alq-117
Voltage Standing Wave Ratio:
1.60
Coaxial Connector Series Designation:
Sma
Power Rating:
2.0 watts average and 200.0 watts peak
Insertion Loss At Minimum Attenuation In Maximum Decibels:
1.0
Overall Attenuation Range In Decibels:
+0.0/+9.0
Attenuation Variation Method:
Stepped
Step Position Quantity:
9
Attenuation Per Step In Decibels:
1.0
Frequency Range:
Between 0.000 gigahertz and 18.000 gigahertz
Adjustment Device Type And Quantity:
1 knob
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, female
Shelf Life:
OHOH EHO.

N/a

NSN 5985-01-068-1404

Variable Attenuator - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0