## NSN 5985-01-073-4491

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-073-4491

## Application Design:

Transmission line

## **Body Material:**

Metal

## Body Style:

Err-090

## **Overall Length:**

1.500 inches

## **Overall Diameter:**

0.375 inches

## Voltage Standing Wave Ratio:

1.25 and 1.40

## Input Impedance Rating In Ohms:

Any acceptable

## **Output Impedance Rating In Ohms:**

Any acceptable

## **Coaxial Connector Series Designation:**

Sma

## **Power Rating:**

2.0 watts average and 0.2 kilowatts peak

## Rf Signal Attenuation In Decibels:

10.0

## Voltage Standing Wave Ratio Frequency Range:

+0.0/+4.0 gigahertz and +4.0/+6.0 gigahertz

## Attenuation Accuracy Reference Frequency:

6.0 gigahertz

## Attenuation Accuracy In Decibels:

-0.30/+0.30

## **Connection Type Per Function:**

Female input and male output

#### **Mounting Method:**

Connector

#### **Terminal Type And Quantity:**

2 connector

#### **Frequency Range:**

Between 0.000 hertz and 6.000 gigahertz

#### Shelf Life:

N/a

#### Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

# NSN 5985-01-073-4491

Fixed Attenuator - Page 2 of 2

**Fiig:** A20000

