## NSN 5985-01-074-6585

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-074-6585 **Application Design:** Transmission line **Body Material:** Aluminum **Body Style:** Err-090 **Terminal Material:** Steel, corrosion resisting **Terminal Surface Treatment:** Passivated **Overall Length:** 4.710 inches **Overall Diameter:** 1.640 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.20 and 1.30 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation: Power Rating:** 50.0 watts average and 5.0 kilowatts peak **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+4.0 gigahertz and +4.0/+8.0 gigahertz **Connection Type Per Function:** Male input and female output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: 8.500 gigahertz Shelf Life:

N/a **Unit Of Measure:** 

## NSN 5985-01-074-6585

Fixed Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A20000