## NSN 5985-01-075-6288

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-075-6288

Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
2.625 inches
Overall Height:
2.750 inches
Overall Width:
6.000 inches
Voltage Standing Wave Ratio:
1.20 and 1.30 and 1.50
Coaxial Connector Series Designation:
Bnc
Power Rating:
0.5 watts average
Insertion Loss At Minimum Attenuation In Maximum Decibels:
1.5
Overall Attenuation Range In Decibels:
+0.0/+120.0
Attenuation Accuracy Reference Frequency:
1.0 gigahertz
Attenuation Variation Method:
Stepped
Step Position Quantity:
12
Attenuation Per Step In Decibels:
10.0
Mounting Facility Type And Quantity:
2 connector
Frequency Range:
Between 0.000 gigahertz and 1.000 gigahertz
Overall Attenuation Accuracy In Decibels:
-0.30/+0.30
Adjustment Device Type And Quantity:
1 knob
Impedance Rating In Ohms:
50.0 input-output
Terminal Type And Quantity:
2 connector, coaxial, male
Shelf Life:
N/a

## NSN 5985-01-075-6288

Variable Attenuator - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A223a0

