NSN 5985-01-079-6117

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-079-6117

·
Application Design:
Transmission line
Body Style:
Coaxial type
Overall Length:
2.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.250 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches
Overall Height:
1.750 inches
Overall Width:
0.650 inches
Unthreaded Mounting Hole Diameter:
0.140 inches
Operating Tempurature Range:
+0.0/+60.0 degrees celsius
Voltage Standing Wave Ratio:
1.70
Coaxial Connector Series Designation:
Sma
Power Rating:
100.0 milliwatts peak
Overall Attenuation Range In Decibels:
+0.0/+3.5
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
O wather and add hole
2 unthreaded hole
Frequency Range:
Frequency Range:
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz Adjustment Device Type And Quantity:
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz Adjustment Device Type And Quantity: 1 electronic, voltage controlled
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz Adjustment Device Type And Quantity: 1 electronic, voltage controlled Mounting Facility Pattern:
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz Adjustment Device Type And Quantity: 1 electronic, voltage controlled Mounting Facility Pattern: Two position diagonal
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz Adjustment Device Type And Quantity: 1 electronic, voltage controlled Mounting Facility Pattern: Two position diagonal Impedance Rating In Ohms:
Frequency Range: Between 11.000 gigahertz and 17.000 gigahertz Adjustment Device Type And Quantity: 1 electronic, voltage controlled Mounting Facility Pattern: Two position diagonal Impedance Rating In Ohms: 50.0 input-output

3 connector, coaxial, male

NSN 5985-01-079-6117

Variable Attenuator - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0