## NSN 5985-01-080-1415



Variable Attenuator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5985-01-080-1415 **Application Design:** Transmission line **Body Style:** Coaxial type **Overall Length:** 4.120 inches **Overall Height:** 3.122 inches **Overall Width:** 4.120 inches **Scale Linearity:** Nonlinear **Scale Division Quantity: Voltage Standing Wave Ratio:** 1.40 **Power Rating:** 2.0 watts average and 50.0 watts peak **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 0.25 **Overall Attenuation Range In Decibels:** +0.0/+90.0 **Attenuation Variation Method:** Continuous **Vernier Scale Division Quantity:** 20 **Mounting Facility Type And Quantity:** 1 connector Frequency Range: Between 1.000 gigahertz and 1.120 gigahertz **Overall Attenuation Accuracy In Decibels:** -0.75/+0.75 **Adjustment Device Type And Quantity:** 1 knob

## **Terminal Type And Quantity:**

1 binding post

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-080-1415

Variable Attenuator - Page 2 of 2



Fiig:

A223a0