## NSN 5985-01-084-3464

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-084-3464 **Application Design:** Transmission line **Body Material:** Steel, corrosion resisting **Body Style:** Err-090 **Body Surface Treatment:** Passivated **Overall Length:** 1.190 inches **Overall Diameter:** 0.380 inches **End Application:** F-16 **Voltage Standing Wave Ratio:** 1.20 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 2.0 watts average and 200.0 watts peak **Rf Signal Attenuation In Decibels:** 3.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+4.0 gigahertz **Attenuation Accuracy In Decibels:** -0.60/+0.60 **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 gigahertz and 4.000 gigahertz Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-084-3464

Fixed Attenuator - Page 2 of 2



Fiig:

A20000