NSN 5985-01-090-9460

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-090-9460

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

1.372 inches second flange

Flange Inside Height:

0.622 inches second flange

Flange Outside Width:

2.690 inches second flange

Flange Outside Height:

1.940 inches second flange

Flange Outside Diameter:

3.125 inches first flange

Flange Depth:

0.750 inches first flange

Flange Connecting Hole Diameter:

0.272 inches first flange first connection facility

Voltage Standing Wave Ratio:

1.10

Insertion Loss In Decibels:

0.03

Maximum Operating Pressure:

45.0 pounds per square inch gage

Waveguide Outside Width:

1.500 inches

Waveguide Inside Width:

1.372 inches

Waveguide Inside Height:

0.622 inches

Waveguide Outside Height:

0.750 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole second flange second connection facility

Flange Style:

Contact type second flange

Waveguide Length:

5.750 inches

Special Features:

Altered item drawing

NSN 5985-01-090-9460

Waveguide Assembly - Page 2 of 2



Flexibility:

Flexible single tubing segment

Material:

Copper single tubing segment

Surface Treatment:

Silver alloy single tubing segment outside surfaces

Style Designator:

Straight type

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A073a0