

View Online at <https://aerobasegroup.com/nsn/5985-01-091-7026>

Body Style:

Rectangular

Overall Length:

2.850 inches

Overall Height:

1.970 inches

Overall Width:

1.310 inches

Frequency Rating:

4.0 gigahertz 2nd frequency voltage standing wave ratio and 12.4 gigahertz 2nd frequency voltage standing wave ratio

Unthreaded Mounting Hole Diameter:

0.149 inches

Switch Type:

Transfer

Operating Temperature Range:

+0.0/+71.0 degrees celsius

Voltage Standing Wave Ratio:

1.40 2nd

Insertion Loss In Decibels:

0.40 2nd

Coaxial Connector Series Designation:

Sma

Connector End Design:

Female

Minimum Crosstalk Rating In Decibels:

60.0 single

Actuator Operating Method:

Solid state

Actuator Current Type And Rating In Amps:

0.2 dc

Actuator Voltage In Volts:

28.0

Switching Time:

25.0 milliseconds

Switch Return Mechanism Type:

Latching

Mounting Facility Type And Quantity:

3 unthreaded hole

Mounting Facility Pattern:

Isosceles triangle single mounting facility pattern

Material:

Copper alloy contact (s)

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

Surface Treatment:

Nickel body outside surfaces

Terminal Type And Quantity:

6 pin and 4 receptacle, coaxial

Specification Data:

55974-2131900 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A158a0