NSN 5985-01-096-9897

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-096-9897

Cross	Sect	ional	I Sha	no.
U U O O O	JEUL	iviiai	ı Olla	DE.

Internal, rectangular external, rectangular

Thread Class:

2b first flange all connection facilities

Thread Direction:

Right-hand first flange all connection facilities

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Straight twist single tubing segment

Tubing Twist Angle In Deg:

90.0 single tubing segment

Flange Quantity:

2

Flange Inside Height:

0.394 inches second flange

Flange Outside Width:

1.313 inches second flange

Flange Outside Height:

1.312 inches first flange

Flange Inside Diameter:

1.000 inches first flange

Flange Depth:

0.375 inches first flange

Flange Connecting Hole Diameter:

0.138 inches second flange all connection facilities and 0.144 inches second flange all connection facilities

Waveguide Outside Width:

0.702 inches

Thread Size:

0.138 inches first flange all connection facilities

Waveguide Inside Width:

0.622 inches

Waveguide Inside Height:

0.311 inches

Waveguide Outside Height:

0.391 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole second flange all connection facilities

Flange Style:

Cover type second flange

Waveguide Length:

5.000 inches

NSN 5985-01-096-9897 Waveguide Assembly - Page 2 of 2



Flexibility:		
Rigid single tubing segment		
Material:		
Copper alloy all tubing segment		
Precious Material And Location:		
External surfaces silver		
Precious Material:		
Silver		
Surface Treatment:		
Silver single tubing segment outside surface		
Style Designator:		
Straight type		
Thread Series Designator:		
Unc first flange all connection facilities		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
No		
Fiig:		
A073a0		