## NSN 5985-01-097-2321

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-097-2321

## **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2a first flange single connection facility

**Thread Direction:** 

Right-hand first flange single connection facility

Bend Angle In Deg:

90.0 single bend e-plane

**End Application:** 

5840-01-046-7622, electronic warfare training set, an/mst-t1

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

2.002 inches second flange

Flange Inside Height:

1.002 inches second flange

Flange Outside Diameter:

3.625 inches second flange

Flange Depth:

0.938 inches first flange

Flange Connecting Hole Diameter:

0.199 inches second flange single connection facility

**Maximum Operating Pressure:** 

20.0 pounds per square inch gage

**Waveguide Outside Width:** 

2.000 inches

**Thread Size:** 

0.190 inches first flange single connection facility

Waveguide Inside Width:

1.872 inches

**Waveguide Inside Height:** 

0.872 inches

**Waveguide Outside Height:** 

1.000 inches

**Waveguide Longer Offset Distance:** 

2.900 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole second flange single connection facility

Flange Style:

Cover type second flange

## **NSN 5985-01-097-2321** Waveguide Assembly - Page 2 of 2



Waveguide Offset Distance:
2.800 inches
Flexibility:
Rigid all tubing segment
Material:
Aluminum alloy 6061 all tubing segment and flange
Style Designator:
Bend type
Thread Series Designator:
Unf first flange single connection facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A073a0