# NSN 5985-01-102-0996

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-102-0996

# **Cross Sectional Shape:**

Internal, rectangular external, rectangular

#### **Tubing Wall Construction Style:**

Seamless single tubing segment

# Flange Quantity:

2

#### Flange Inside Width:

1.118 inches all flanges and 1.126 inches all flanges

#### Flange Inside Height:

0.493 inches all flanges and 0.501 inches all flanges

# Flange Outside Width:

2.498 inches all flanges and 2.502 inches all flanges

#### Flange Outside Height:

1.748 inches all flanges and 1.752 inches all flanges

#### Flange Depth:

0.498 inches all flanges and 0.502 inches all flanges

# Flange Connecting Hole Diameter:

0.169 inches all flanges single connection facility

# **Voltage Standing Wave Ratio:**

1.10

# **Insertion Loss In Decibels:**

0.10

#### **Maximum Operating Pressure:**

20.0 pounds per square inch gage

# **Waveguide Outside Width:**

1.250 inches

# Waveguide Inside Width:

1.220 inches

#### **Waveguide Inside Height:**

0.497 inches

# **Waveguide Outside Height:**

0.625 inches

# Flange Connecting Facility And Quantity:

8 unthreaded hole first flange single connection facility

# Flange Style:

Cover type second flange

# Waveguide Length:

1.000 feet

# Flexibility:

Flexible single tubing segment

#### Material:

Rubber synthetic single tubing jacket

# NSN 5985-01-102-0996

Waveguide Assembly - Page 2 of 2



	tment:

Chromate all flange all surfaces

Style Designator:

Straight type

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0