NSN 5985-01-106-9973

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-106-9973

Cross Sectional Shape:

Internal, rectangular external, rectangular

Thread Class:

2a first flange single connection facility

Thread Direction:

Right-hand first flange single connection facility

Bend Angle In Deg:

90.0 third bend e-plane

End Application:

5840-01-046-7622, radar group, an/mst-t1

Tubing Wall Construction Style:

Seamless all tubing segment

Flange Quantity:

2

Flange Inside Width:

1.872 inches second flange

Flange Inside Height:

0.872 inches second flange

Flange Outside Width:

3.500 inches second flange

Flange Outside Height:

2.500 inches second flange

Flange Outside Diameter:

3.625 inches first flange

Flange Depth:

0.938 inches first flange

Flange Connecting Hole Diameter:

0.257 inches second flange single connection facility

Maximum Operating Pressure:

20.0 pounds per square inch gage

Waveguide Outside Width:

2.000 inches

Thread Size:

0.190 inches first flange single connection facility

Waveguide Inside Width:

1.872 inches

Waveguide Inside Height:

0.872 inches

Waveguide Outside Height:

1.000 inches

Flange Connecting Facility And Quantity:

8 unthreaded hole second flange single connection facility

NSN 5985-01-106-9973 Waveguide Assembly - Page 2 of 2



| Waveguide First Leg Length: |
|------------------------------------------------------|
| 5.100 inches |
| Flange Style: |
| Contact type second flange |
| Waveguide Second Leg Length: |
| 11.000 inches |
| Waveguide Third Leg Length: |
| 7.500 inches |
| Waveguide Fourth Leg Length: |
| 6.700 inches |
| Special Features: |
| One 90 degree h-plane bend 2.340 in. Lg |
| Flexibility: |
| Rigid all tubing segment |
| Material: |
| Aluminum alloy 1100 single tubing segment and flange |
| Style Designator: |
| Three bend type |
| Thread Series Designator: |
| Unf first flange single connection facility |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |
| A073a0 |
| |
| |