NSN 5985-01-107-5078

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-107-5078

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Tubing Wall Construction Style:** 

Seamless single tubing segment

#### **Tubing Twist Type:**

Straight twist single tubing segment

#### **Tubing Twist Angle In Deg:**

90.0 single tubing segment

#### Flange Quantity:

2

#### Flange Inside Width:

1.372 inches all flanges

#### Flange Inside Height:

0.622 inches all flanges

#### Flange Outside Width:

2.690 inches all flanges

# Flange Outside Height:

1.940 inches all flanges

#### Flange Depth:

0.500 inches all flanges

#### Flange Connecting Hole Diameter:

0.196 inches all flanges all connection facilities

### Voltage Standing Wave Ratio:

1.05

#### Maximum Operating Pressure:

5.0 pounds per square inch gage

#### Waveguide Outside Width:

1.500 inches

#### Waveguide Inside Width:

1.372 inches

#### Waveguide Inside Height:

0.622 inches

#### Waveguide Outside Height:

0.750 inches

#### Flange Connecting Facility And Quantity:

8 unthreaded hole all flanges all connection facilities

#### Flange Style:

Contact type all flanges

# Waveguide Length:

6.000 inches

Flexibility:

Rigid single tubing segment

# NSN 5985-01-107-5078

Waveguide Assembly - Page 2 of 2

Material:

Copper single tubing segment

### Surface Treatment:

Paint all tubing segment and flange outside surfaces

# Style Designator:

Straight type

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

# Fiig:

A073a0

