NSN 5985-01-108-9193

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-108-9193

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Twistable single tubing segment

Tubing Twist Angle In Deg:

140.0 single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.505 inches all flanges

Flange Inside Height:

0.755 inches all flanges

Flange Outside Diameter:

3.125 inches all flanges

Flange Depth:

0.375 inches all flanges

Flange Connecting Hole Diameter:

0.199 inches all flanges all connection facilities

Voltage Standing Wave Ratio:

1.10

Maximum Operating Pressure:

45.0 pounds per square inch gage

Waveguide Outside Width:

1.500 inches

Waveguide Inside Width:

1.372 inches

Waveguide Inside Height:

0.622 inches

Waveguide Outside Height:

0.750 inches

Flange Connecting Facility And Quantity:

6 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Length:

1.500 feet

Flexibility:

Flexible single tubing segment

Material:

Rubber synthetic single tubing jacket

NSN 5985-01-108-9193

Waveguide Assembly - Page 2 of 2



Precious Material And Location:

Waveguide surfaces silver

Precious Material:

Silver

Surface Treatment:

Silver single tubing segment all surfaces

Style Designator:

Straight type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A073a0