NSN 5985-01-108-9207

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-108-9207

Cross Sectional Shape:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Twistable single tubing segment

Tubing Twist Angle In Deg:

140.0 single tubing segment

Flange Quantity:

2

Flange Inside Width:

1.505 inches all flanges

Flange Inside Height:

0.755 inches all flanges

Flange Outside Diameter:

3.125 inches all flanges

Flange Depth:

0.375 inches all flanges

Flange Connecting Hole Diameter:

0.199 inches all flanges all connection facilities

Voltage Standing Wave Ratio:

1.12

Maximum Operating Pressure:

45.0 pounds per square inch gage

Waveguide Outside Width:

1.500 inches

Waveguide Inside Width:

1.372 inches

Waveguide Inside Height:

0.622 inches

Waveguide Outside Height:

0.750 inches

Flange Connecting Facility And Quantity:

6 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Length:

4.583 feet

Flexibility:

Flexible single tubing segment

Material:

Rubber synthetic single tubing jacket

NSN 5985-01-108-9207 Waveguide Assembly - Page 2 of 2



Precious Material And Location:
All body surfaces silver
Precious Material:
Silver
Surface Treatment:
Oxide all flange outside surfaces
Style Designator:
Straight type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

Fiig: A073a0