NSN 5985-01-109-8858

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-109-8858

~	^		O1	
L.ross	Sect	าดทลเ	Shape:	

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Tubing Twist Type:

Twistable single tubing segment

Tubing Twist Angle In Deg:

300.0 single tubing segment

Flange Quantity:

2

Flange Inside Width:

0.706 inches all flanges

Flange Inside Height:

0.395 inches all flanges

Flange Outside Width:

1.313 inches all flanges

Flange Outside Height:

1.313 inches all flanges

Flange Depth:

0.313 inches all flanges

Flange Connecting Hole Diameter:

0.144 inches all flanges all connection facilities

Voltage Standing Wave Ratio:

1.20

Maximum Operating Pressure:

60.0 pounds per square inch gage

Waveguide Outside Width:

0.702 inches

Waveguide Inside Width:

0.622 inches

Waveguide Inside Height:

0.311 inches

Waveguide Outside Height:

0.391 inches

Flange Connecting Facility And Quantity:

4 unthreaded hole all flanges all connection facilities

Flange Style:

Cover type all flanges

Waveguide Length:

4.583 feet

Flexibility:

Flexible single tubing segment

NSN 5985-01-109-8858

Waveguide Assembly - Page 2 of 2



Material:				
Rubber synthetic single tubing jacket				
Precious Material And Location:				
Waveguide surfaces silver				
Precious Material:				
Silver				
Surface Treatment:				
Silver single tubing segment all surfaces				
Style Designator:				
Straight type				
Shelf Life:				
N/a				
Unit Of Measure:				
Demilitarization:				
No				

Fiig: A073a0