## NSN 5985-01-111-7769

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-111-7769 **Application Design:** Transmission line **Body Style:** Waveguide type **Overall Length:** 2.510 inches **Overall Height:** 2.500 inches **Overall Width:** 1.004 inches **Shaft Diameter:** 0.500 inches Shaft Length: 2.500 inches **Unthreaded Mounting Hole Diameter:** 0.090 inches **Operating Tempurature Range:** -45.0/+110.0 degrees celsius **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 0.5 **Overall Attenuation Range In Decibels:** +0.0/+15.0 **Attenuation Variation Method:** Continuous **Mounting Facility Type And Quantity:** 4 unthreaded hole Frequency Range: Between 7.000 gigahertz and 11.000 gigahertz **Overall Attenuation Accuracy In Decibels:** -1.50/+1.50 **Adjustment Device Type And Quantity:** 1 shaft **Shaft Type:** Round **Test Data Document:** 81349-mil-a-24215/9 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 2 pin

--

N/a

Shelf Life:

**Unit Of Measure:** 

## NSN 5985-01-111-7769

Variable Attenuator - Page 2 of 2



Demilitarization:

No

Fiig:

A223a0