# NSN 5985-01-117-6076

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-117-6076

# Application Design:

Transmission line

#### **Body Style:**

Coaxial type

### **Overall Length:**

3.064 inches

#### **Overall Height:**

2.510 inches

#### **Overall Width:**

1.870 inches

#### Scale Linearity:

Linear

#### Scale Division Quantity:

48

#### Shaft Diameter:

0.250 inches

#### \_. . . . .

Shaft Length:

## 0.656 inches

Voltage Standing Wave Ratio:

1.50

**Coaxial Connector Series Designation:** 

Bnc

#### Power Rating:

1.0 watts peak

#### Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

#### **Overall Attenuation Range In Decibels:**

+0.0/+40.0

#### Attenuation Accuracy Reference Frequency:

2.0 kilohertz

#### **Step Position Quantity:**

8

## Attenuation Per Step In Decibels:

6.0

#### **Frequency Range:**

Between 0.000 kilohertz and 100.000 kilohertz

### **Overall Attenuation Accuracy In Decibels:**

-2.00/+2.00

#### Adjustment Device Type And Quantity:

1 knob

#### Shelf Life:

N/a

# NSN 5985-01-117-6076

Variable Attenuator - Page 2 of 2

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0

