

View Online at <https://aerobasegroup.com/nsn/5985-01-120-9264>

**Application Design:**

Transmission line

**Body Material:**

Any acceptable

**Body Style:**

Rectangular terminal/terminals on three surfaces

**Body Surface Treatment:**

Any acceptable

**Overall Length:**

0.870 inches

**Overall Height:**

0.055 inches

**Overall Width:**

0.500 inches

**Operating Temperature Range:**

-55.0/+125.0 degrees celsius

**Voltage Standing Wave Ratio:**

1.30

**Input Impedance Rating In Ohms:**

50.0

**Output Impedance Rating In Ohms:**

50.0

**Power Rating:**

1.0 watts average

**Rf Signal Attenuation In Decibels:**

2.0

**Voltage Standing Wave Ratio Frequency Range:**

+0.0/+8.0 gigahertz

**Attenuation Accuracy Reference Frequency:**

1.0 gigahertz

**Attenuation Accuracy In Decibels:**

-0.50/+0.50

**Mounting Method:**

Printed circuit

**Terminal Type And Quantity:**

3 ribbon

**Frequency Range:**

Between 0.000 hertz and 8.000 gigahertz

**Precious Material And Location:**

Lead gold

**Precious Material:**

Gold

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A20000