# NSN 5985-01-126-7349

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-126-7349

## Cross Sectional Shape:

Internal, rectangular double ridged external, rectangular

**Tubing Wall Construction Style:** 

Seamless single tubing segment

# Flange Quantity:

2

#### Flange Inside Width:

0.286 inches single flange and 0.290 inches single flange

#### Flange Inside Height:

0.134 inches single flange and 0.138 inches single flange

#### Flange Outside Diameter:

0.688 inches single flange

#### Flange Depth:

0.255 inches single flange and 0.260 inches single flange

#### Flange Connecting Hole Diameter:

0.127 inches all flanges all connection facilities and 0.128 inches all flanges all connection facilities

#### Insertion Loss In Decibels:

1.25

# Waveguide Outside Width:

Between 0.348 inches and 0.373 inches

## Waveguide Inside Width:

Between 0.286 inches and 0.290 inches

## Waveguide Inside Height:

Between 0.132 inches and 0.136 inches

### Waveguide Outside Height:

Between 0.194 inches and 0.219 inches

### Flange Connecting Facility And Quantity:

2 unthreaded hole all flanges all connection facilities

### Flange Style:

Contact type all flanges

#### Waveguide Length:

Between 29.200 inches and 29.300 inches

#### **Special Features:**

Frequency range 18.0 to 40.0 ghz

#### Flexibility:

Rigid single tubing segment

### Material:

Copper single tubing segment

#### Surface Treatment:

Lacquer single tubing segment and flange all surfaces

# Style Designator:

Straight type

# NSN 5985-01-126-7349

Waveguide Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A073a0

