NSN 5985-01-127-6144

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-127-6144

Application Design:

Transmission line

Body Material:

Any acceptable

Body Style:

Rectangular terminal/terminals on three surfaces

Body Surface Treatment:

Any acceptable

Overall Length:

0.870 inches

Overall Height:

0.055 inches

Overall Width:

0.500 inches

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Voltage Standing Wave Ratio:

1.25

Input Impedance Rating In Ohms:

50.0

Output Impedance Rating In Ohms:

50.0

Power Rating:

1.0 watts average

Rf Signal Attenuation In Decibels:

4.0

Voltage Standing Wave Ratio Frequency Range:

+0.0/+8.0 gigahertz

Attenuation Accuracy Reference Frequency:

1.0 gigahertz

Attenuation Accuracy In Decibels:

-0.50/+0.50

Mounting Method:

Printed circuit

Terminal Type And Quantity:

3 ribbon

Frequency Range:

Between 0.000 hertz and 8.000 gigahertz

Precious Material And Location:

Contact surfaces gold

Precious Material:

Gold

NSN 5985-01-127-6144

Fixed Attenuator - Page 2 of 2



Fsc Application Data:

Antennas, waveguides, and related equipment

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A20000