NSN 5985-01-129-2867

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-129-2867

Application Design:
Audio
Body Style:
Cylindrical w/side terminals
Overall Length:
2.156 inches
Overall Width:
1.249 inches
First Flat Length:
0.437 inches
Flat Height:
0.218 inches
Body Diameter:
1.062 inches
Shaft Diameter:
Between 0.248 inches and 0.250 inches
Bushing Length:
0.375 inches
Shaft Length:
0.875 inches
Body Length:
1.250 inches
Schematic Diagram Designator:
Unbalanced "II"
Operating Tempurature Range:
-67.0/+160.0 degrees fahrenheit
Power Rating:
1.0 watts average
Insertion Loss At Minimum Attenuation In Maximum Decibels:
1.0
Overall Attenuation Range In Decibels:
+0.0/+40.0
Attenuation Variation Method:
Continuous
Mounting Facility Type And Quantity:
1 bushing
Frequency Range:
Between 200.000 hertz and 2.000 kilohertz
Overall Attenuation Accuracy In Decibels:
-1.00/+1.00
Adjustment Device Type And Quantity:

1 shaft

NSN 5985-01-129-2867

Variable Attenuator - Page 2 of 2



Shaft Type:
Round, flatted
Impedance Rating In Ohms:
600.0 input-output
Terminal Type And Quantity:
6 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A223a0