## NSN 5985-01-132-2270

Waveguide Assembly - Page 1 of 2



985-01-132-2270

View Online at https://aerobasegroup.com/nsn/5985
Cross Sectional Shape:
Internal, rectangular external, rectangular
End Application:
F106 a/b acft
Tubing Wall Construction Style:
Seamless all tubing segment
Tubing Twist Type:
Straight twist all tubing segment
Flange Quantity:
2
Voltage Standing Wave Ratio:
1.20
Waveguide Outside Width:
Between 0.996 inches and 1.004 inches
Waveguide Inside Width:
Between 0.896 inches and 0.904 inches
Waveguide Inside Height:
Between 0.396 inches and 0.404 inches
Waveguide Outside Height:
Between 0.496 inches and 0.504 inches
Waveguide Longer Offset Distance:
1.756 inches
Flange Connecting Facility And Quantity:
4 captive screws all flanges all connection facilities
Flange Style:
Choke type all flanges
Waveguide Offset Distance:
1.750 inches
Flexibility:
Rigid all tubing segment
Material:
Aluminum alloy 6061 single tubing segment
Style Designator:
Bend type
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

Yes - demil/mli

## NSN 5985-01-132-2270

Waveguide Assembly - Page 2 of 2



Fiig:

A073a0