

View Online at <https://aerobasegroup.com/nsn/5985-01-137-6527>

Application Design:

Transmission line

Body Style:

Coaxial type

Overall Length:

2.760 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.800 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.050 inches

Overall Height:

2.310 inches

Overall Width:

0.880 inches

Unthreaded Mounting Hole Diameter:

0.120 inches

Voltage Standing Wave Ratio:

1.70

Coaxial Connector Series Designation:

Sma

Power Rating:

2.0 watts peak

Insertion Loss At Minimum Attenuation In Maximum Decibels:

2.5

Overall Attenuation Range In Decibels:

+0.0/+60.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole

Frequency Range:

Between 0.500 gigahertz and 4.000 gigahertz

Overall Attenuation Accuracy In Decibels:

-2.00/+2.00

Adjustment Device Type And Quantity:

1 electronic, programmable

Mounting Facility Pattern:

Four position rectangular

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 binding post and 2 connector, coaxial, female and 1 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A223a0