NSN 5985-01-140-1559



Fixed Attenuator - Page 1 of 1 View Online at https://aerobasegroup.com/nsn/5985-01-140-1559 **Application Design:** Transmission line **Body Style:** Rectangular, terminal/terminals on opposite surfaces **Overall Length:** 7.281 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 6.156 inches **Center To Center Distance Between Mounting Facilities Parallel To Width:** 3.000 inches **Overall Height:** 4.500 inches **Overall Width:** 4.000 inches **Voltage Standing Wave Ratio:** 1.35 **Coaxial Connector Series Designation:** Ν **Power Rating:** 150.0 watts average and 3.0 kilowatts peak **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+6.0 gigahertz **Attenuation Accuracy In Decibels:** -0.75/+0.75 **Connection Type Per Function:** Male input and female output **Mounting Method:** Unthreaded hole **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 6.000 gigahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

Fiig:

A20000