NSN 5985-01-140-5611

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-140-5611

Application Design:
Transmission line
Body Material:
Metal
Body Style:
Err-090
Body Surface Treatment:
Nickel plated
Overall Length:
2.300 inches
Overall Diameter:
Any acceptable
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Voltage Standing Wave Ratio:
1.35 and 1.50
Input Impedance Rating In Ohms:
50.0
Output Impedance Rating In Ohms:
50.0
Coaxial Connector Series Designation:
N
Power Rating:
1.0 watts average and 1.0 kilowatts peak
Rf Signal Attenuation In Decibels:
30.0
Voltage Standing Wave Ratio Frequency Range:
+0.0/+12.4 gigahertz and +12.4/+18.0 gigahertz
Attenuation Accuracy In Decibels:
-1.50/+1.50
Frequency Sensitivity Attenuation In Decibels:
Not rated
Temperature Sensitivity Attenuation In Decibels:
Not rated
Mounting Method:
Connector
Terminal Type And Quantity:
2 connector
Frequency Range:
Frequency Kange.
Between 0.000 hertz and 18.000 gigahertz

NSN 5985-01-140-5611

Fixed Attenuator - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A20000