## NSN 5985-01-142-3327

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-142-3327 **Application Design:** Transmission line **Body Style:** Coaxial type **Overall Length:** 3.000 inches **Overall Height:** 1.400 inches **Overall Width:** 2.500 inches **Voltage Standing Wave Ratio:** 1.30 **Coaxial Connector Series Designation:** Sma **Power Rating:** 1.0 watts average **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 1.0 **Overall Attenuation Range In Decibels:** +0.0/+13.0 **Attenuation Variation Method:** Stepped **Step Position Quantity: Attenuation Per Step In Decibels:** 1.0 **Mounting Facility Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 500.000 megahertz **Adjustment Device Type And Quantity:** 1 knob w/dial Impedance Rating In Ohms: 50.0 input-output **Terminal Type And Quantity:** 2 connector, coaxial, female Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** 

Yes - demil/mli

## NSN 5985-01-142-3327

Variable Attenuator - Page 2 of 2



Fiig:

A223a0