

View Online at <https://aerobasegroup.com/nsn/5985-01-147-7200>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:**

2b first flange single connection facility

**Thread Direction:**

Right-hand first flange single connection facility

**Bend Angle In Deg:**

30.0 single bend e-plane

**End Application:**

5840-01-065-1678, radar set, an/gpn-22

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

1.270 inches second flange

**Flange Inside Height:**

0.497 inches first flange

**Flange Outside Width:**

1.875 inches second flange

**Flange Outside Height:**

1.875 inches second flange

**Flange Inside Diameter:**

1.625 inches first flange

**Flange Depth:**

0.625 inches second flange

**Flange Connecting Hole Diameter:**

0.169 inches second flange single connection facility and 0.172 inches second flange single connection facility

**Voltage Standing Wave Ratio:**

1.05

**Maximum Operating Pressure:**

25.0 pounds per square inch gage

**Waveguide Outside Width:**

1.250 inches

**Thread Size:**

0.164 inches first flange single connection facility

**Waveguide Inside Width:**

1.122 inches

**Waveguide Inside Height:**

0.497 inches

**Waveguide Outside Height:**

0.625 inches

**Flange Connecting Facility And Quantity:**

4 unthreaded hole second flange single connection facility

**Flange Style:**

Choke type first flange

**Waveguide Length:**

15.880 inches

**Waveguide Center To Center Distance:**

2.230 inches

**Flexibility:**

Rigid single tubing segment

**Material:**

Aluminum alloy 6061 single tubing segment and flange

**Surface Treatment:**

Passivate single tubing segment and flange all surfaces and primer single tubing segment and flange all surfaces and enamel single tubing segment and flange all surfaces

**Style Designator:**

Offset bend type

**Thread Series Designator:**

Unc first flange single connection facility

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A073a0