# NSN 5985-01-154-2518

Fixed Attenuator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5985-01-154-2518



# Application Design: Transmission line Body Material: Metal Body Style: Rectangular terminal/terminals on three surfaces Terminal Material:

Copper

#### **Terminal Surface Treatment:**

Any acceptable

#### **Overall Length:**

0.730 inches

#### **Overall Height:**

0.035 inches

#### **Overall Width:**

0.480 inches

### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

### Voltage Standing Wave Ratio:

1.30

## Input Impedance Rating In Ohms:

50.0

#### **Output Impedance Rating In Ohms:**

50.0

#### **Power Rating:**

1.0 watts average

#### **Rf Signal Attenuation In Decibels:**

10.0

#### Voltage Standing Wave Ratio Frequency Range:

+0.0/+1.0 gigahertz

#### Attenuation Accuracy Reference Frequency:

1.0 gigahertz

#### Attenuation Accuracy In Decibels:

-0.50/+0.50

#### **Mounting Method:**

Terminal

#### **Terminal Type And Quantity:**

Bonding pad3

#### **Frequency Range:**

Between 0.000 hertz and 1.000 gigahertz

#### **Fsc Application Data:**

Antennas, waveguides, and related equipment

# NSN 5985-01-154-2518

Fixed Attenuator - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000

