## NSN 5985-01-154-7343

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-154-7343 **Application Design:** Transmission line **Body Material:** Metal **Body Style:** Err-090 **Overall Length:** 1.500 inches **Overall Diameter:** 0.360 inches **Voltage Standing Wave Ratio:** 1.25 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 1.0 watts average Rf Signal Attenuation In Decibels: 5.0 **Voltage Standing Wave Ratio Frequency Range:** +4.0/+8.5 gigahertz **Attenuation Accuracy In Decibels:** -0.30/+0.30 **Temperature Sensitivity Attenuation In Decibels:** 0.1000 **Connection Type Per Function:** Male input and female output **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 4.000 gigahertz and 8.500 gigahertz **Precious Material And Location:** Connector surfaces gold **Precious Material:** Gold

Shelf Life:

N/a

## NSN 5985-01-154-7343

Fixed Attenuator - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A20000