

View Online at <https://aerobasegroup.com/nsn/5985-01-157-3275>

Unable To Decode:

Internal, rectangular external, rectangular

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

1

Flange Inside Width:

0.707 inches single flange

Flange Inside Height:

0.395 inches single flange

Flange Outside Width:

1.298 inches single flange and 1.328 inches single flange

Flange Outside Height:

1.298 inches single flange and 1.328 inches single flange

Flange Depth:

0.298 inches single flange and 0.328 inches single flange

Flange Connecting Hole Diameter:

0.144 inches single flange all connection facilities and 0.147 inches single flange all connection facilities

Voltage Standing Wave Ratio:

1.25

Insertion Loss In Decibels:

0.20

Coaxial Connector Series Designation:

Sma

Connector End Design:

Female

Adapter Length:

Between 1.245 inches and 1.255 inches

Adapter Height:

Between 1.305 inches and 1.315 inches

Waveguide Outside Width:

Between 0.699 inches and 0.705 inches

Waveguide Inside Width:

Between 0.6195 inches and 0.6245 inches

Waveguide Inside Height:

Between 0.3085 inches and 0.3135 inches

Waveguide Outside Height:

Between 0.388 inches and 0.394 inches

Flange Connecting Facility And Quantity:

6 unthreaded hole single flange all connection facilities

Flange Style:

Cover type single flange

Adapterheight:

Between 1.245 inches and 1.255 inches

Adapterwidth:

Between 1.305 inches and 1.315 inches

Special Features:

Do not paint flange faces

Material:

Aluminum all tubing segment and flange

Surface Treatment:

Lacquer all tubing segment and flange outside surfaces

Style Designator:

Waveguide to coaxial

Fsc Application Data:

Waveguides

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A073a0