NSN 5985-01-160-4960

Waveguide Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-160-4960

Overall Length:							
1.875 inches							
Overall Height:							
4.000 inches							
Overall Width:							
1.875 inches							
Switch Type:							
Nontransfer							
Operating Tempurature Range:							
+0.0/+60.0 degrees celsius							
Insertion Loss In Decibels:							
0.20 single							
Rf Power Handling Capability:							
5.0 watts average 1st							
Minimum Crosstalk Rating In Decibels:							
60.0 single							
Actuator Operating Method:							
Relay							
Actuator Current Type And Rating In Amps:							
1.5 dc							
Actuator Voltage In Volts:							
Actuator Voltage In Volts: 28.0							
-							
28.0							
28.0 Switching Time:							
28.0 Switching Time: 100.0 milliseconds							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type:							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity:							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity:							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity:							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity: 4							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity: 4 Thread Size:							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity: 4 Thread Size: 0.164 inches mounting facility hole							
28.0 Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity: 4 Thread Size: 0.164 inches mounting facility hole Flange Connecting Facility And Quantity:							
Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity: 4 Thread Size: 0.164 inches mounting facility hole Flange Connecting Facility And Quantity: 4 threaded hole							
Switching Time: 100.0 milliseconds Waveguide Flange Type: Cover Pole Quantity: 1 Throw Quantity: 2 Coupling Position Quantity: 4 Thread Size: 0.164 inches mounting facility hole Flange Connecting Facility And Quantity: 4 threaded hole Thread Series Designator:							

N/a

Shelf Life:

NSN 5985-01-160-4960

Waveguide Switch - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МЛО	201	ure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A158a0