NSN 5985-01-169-4231

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-169-4231 **Application Design:** Transmission line **Body Material:** Aluminum **Body Style:** Err-090 **Body Surface Treatment:** Any acceptable **Overall Length:** 1.453 inches **Overall Diameter:** 0.375 inches **Operating Tempurature Range:** -20.0/+125.0 degrees celsius **Voltage Standing Wave Ratio:** 1.40 Input Impedance Rating In Ohms: 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 0.5 watts average **Rf Signal Attenuation In Decibels:** 20.0 **Voltage Standing Wave Ratio Frequency Range:** +1.0/+2.0 gigahertz **Attenuation Accuracy In Decibels:** -0.50/+0.50 **Connection Type Per Function:** Female output and male input **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 2.000 gigahertz Shelf Life: N/a **Unit Of Measure:**

--

NSN 5985-01-169-4231

Fixed Attenuator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A20000