

View Online at <https://aerobasegroup.com/nsn/5985-01-172-7315>

Application Design:

Transmission line

Body Style:

Irregular

Overall Length:

Between 2.480 inches and 2.540 inches

Overall Height:

0.500 inches

Overall Width:

1.945 inches

Distance Between Mounting Facility Centers:

Between 1.545 inches and 1.575 inches

Voltage Standing Wave Ratio:

1.50

Coaxial Connector Series Designation:

Sma

Power Rating:

2.0 watts average

Mounting Facility Screw Thread Series Designator:

Unc

Insertion Loss At Minimum Attenuation In Maximum Decibels:

0.5

Overall Attenuation Range In Decibels:

+0.0/+15.0

Attenuation Variation Method:

Continuous

Mounting Facility Type And Quantity:

2 threaded hole

Frequency Range:

Between 7.000 gigahertz and 11.000 gigahertz

Overall Attenuation Accuracy In Decibels:

-5.00/+5.00

Mounting Thread Quantity:

56 per inch

Adjustment Device Type And Quantity:

1 slotted screw

Mounting Facility Pattern:

Two position in-line

Mounting Facility Screw Thread Diameter:

0.086 inches

Impedance Rating In Ohms:

50.0 input-output

Terminal Type And Quantity:

2 connector, coaxial, female

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A223a0