# NSN 5985-01-174-3011

Fixed Attenuator - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5985-01-174-3011



# Application Design:

Audio

**Body Material:** 

Beryllium copper

# Body Style:

Rectangular terminal/terminals on three surfaces

# **Body Surface Treatment:**

Any acceptable

### **Overall Length:**

0.870 inches

#### **Overall Height:**

0.095 inches

#### **Overall Width:**

0.500 inches

## Schematic Diagram Designator:

"t"

# **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

# Voltage Standing Wave Ratio:

1.30

# Input Impedance Rating In Ohms:

50.0

## **Output Impedance Rating In Ohms:**

50.0

#### **Power Rating:**

1.0 watts peak

## **Rf Signal Attenuation In Decibels:**

1.0

## Voltage Standing Wave Ratio Frequency Range:

+0.0/+8.0 gigahertz

## Attenuation Accuracy In Decibels:

-0.20/+0.20

#### **Mounting Method:**

Terminal

## **Terminal Type And Quantity:**

3 tab, solder lug

## Frequency Range:

Between 0.000 hertz and 8.000 gigahertz

# **Precious Material And Location:**

Terminal surfaces gold

## **Precious Material:**

Gold

# NSN 5985-01-174-3011

Fixed Attenuator - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A20000

