NSN 5985-01-175-8463

A19800

Electrical Dummy Load - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5985-01-175-8463

| Ambient Tempurature In Deg Celsius At Full Rated Power: |
|----------------------------------------------------------------------------------------------------------------------------------------------|
| -55.0 and 125.0 |
| Overall Length: |
| 1.640 inches |
| Impedance Rating In Ohms: |
| 50.0 |
| Overall Diameter: |
| 0.760 inches |
| Frequency Range Rating: |
| +0.000/+12.400 gigahertz |
| Voltage Standing Wave Ratio: |
| 1.05 and 1.20 |
| Coaxial Connector Series Designation: |
| N . |
| Connector End Design: |
| Male |
| Power Rating: |
| 5.000 watts average and 2.000 kilowatts peak |
| Voltage Standing Wave Ratio Frequency Range: |
| +0.000/+4.000 gigahertz and +4.000/+12.400 gigahertz |
| Termination Type: |
| Connection coaxial |
| Operating Position: |
| All positions |
| Cooling Method: |
| Self-cooled |
| Precious Material And Location: |
| Body surface gold |
| Precious Material: |
| Gold |
| Style Designator: |
| Coaxial mounted |
| Test Data Document: |
| 81349-mil-d-39030 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| Yes - demil/mli |
| Fiig: |