# NSN 5985-01-187-4959

Waveguide Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-187-4959

#### **Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:** 

2b first flange all connection facilities

Thread Direction:

Right-hand first flange all connection facilities

Bend Angle In Deg:

90.0 all bends h-plane

**Tubing Wall Construction Style:** 

Seamless all tubing segment

Flange Quantity:

2

#### Flange Inside Width:

0.620 inches all flanges and 0.624 inches all flanges

#### Flange Inside Height:

0.309 inches all flanges and 0.313 inches all flanges

#### Flange Outside Width:

1.297 inches all flanges and 1.327 inches all flanges

#### Flange Outside Height:

1.297 inches all flanges and 1.327 inches all flanges

#### Flange Inside Diameter:

0.985 inches first flange and 1.015 inches first flange

#### Flange Depth:

0.360 inches all flanges and 0.390 inches all flanges

#### Flange Connecting Hole Diameter:

0.144 inches second flange all connection facilities and 0.147 inches second flange all connection facilities

#### **Voltage Standing Wave Ratio:**

1.10

#### **Insertion Loss In Decibels:**

0.10

#### **Waveguide Outside Width:**

Between 0.699 inches and 0.705 inches

#### Thread Size:

0.138 inches first flange all connection facilities

## Waveguide Inside Width:

Between 0.620 inches and 0.625 inches

### Waveguide Inside Height:

Between 0.309 inches and 0.314 inches

#### **Waveguide Outside Height:**

Between 0.388 inches and 0.394 inches

#### Flange Connecting Facility And Quantity:

4 unthreaded hole second flange all connection facilities

# **NSN 5985-01-187-4959** Waveguide Assembly - Page 2 of 2



Flange Style:
Cover type second flange
Waveguide Center To Center Distance:
3.800 inches
Waveguide Height:
1.150 inches
Special Features:
Flange face one end 63.0 in. Microinch finish
Flexibility:
Rigid all tubing segment
Material:
Copper alloy all tubing segment and flange
Style Designator:
Double bend type
Thread Series Designator:
Unc first flange all connection facilities
Fsc Application Data:
Antennas, waveguides, and related equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:

A073a0