

View Online at <https://aerobasegroup.com/nsn/5985-01-191-4142>

**Body Style:**

Rectangular

**Overall Length:**

2.750 inches

**Overall Height:**

0.900 inches

**Overall Width:**

2.310 inches

**Frequency Rating:**

0.0 gigahertz single frequency voltage standing wave ratio and 3.0 gigahertz single frequency voltage standing wave ratio

**Unthreaded Mounting Hole Diameter:**

0.140 inches

**Switch Type:**

Nontransfer

**Operating Temperature Range:**

-35.0/+85.0 degrees celsius

**End Application:**

5840-01-147-7235

**Voltage Standing Wave Ratio:**

1.20 single

**Insertion Loss In Decibels:**

0.20 single

**Coaxial Connector Series Designation:**

N

**Connector End Design:**

Female

**Minimum Crosstalk Rating In Decibels:**

80.0 single

**Actuator Operating Method:**

Solid state

**Actuator Current Type And Rating In Amps:**

0.24 dc

**Actuator Voltage In Volts:**

28.0

**Switch Operation Sequence:**

Makes before breaks

**Switching Time:**

20.0 milliseconds

**Switch Return Mechanism Type:**

Fail-safe

**Pole Quantity:**

1

**Throw Quantity:**

2

**Coupling Position Quantity:**

3

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Mounting Facility Pattern:**

Two position in-line single mounting facility pattern

**Material:**

Copper alloy contact (s)

**Precious Material And Location:**

Contact surfaces gold

**Precious Material:**

Gold

**Surface Treatment:**

Nickel body outside surfaces

**Terminal Type And Quantity:**

3 solder stud and 3 receptacle, coaxial

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A158a0