NSN 5985-01-194-1639

Waveguide Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-194-1639

| Overall Length: |
|---|
| 4.000 inches |
| Overall Height: |
| 2.500 inches |
| Overall Width: |
| 2.500 inches |
| Switch Type: |
| Transfer |
| Operating Tempurature Range: |
| -29.0/+70.0 degrees celsius |
| Insertion Loss In Decibels: |
| 0.30 single |
| Rf Power Handling Capability: |
| 325.0 watts peak single |
| Minimum Crosstalk Rating In Decibels: |
| 20.0 single |
| Actuator Operating Method: |
| Relay |
| Actuator Current Type And Rating In Amps: |
| 1.6 dc |
| Actuator Voltage In Volts: |
| 15.0 |
| Switching Time: |
| 300.0 microseconds |
| Waveguide Flange Type: |
| Choke |
| Coupling Position Quantity: |
| 1 |
| Thread Size: |
| 0.164 inches mounting facility hole |
| Flange Connecting Facility And Quantity: |
| 4 threaded hole |
| Precious Material And Location: |
| Body surfaces silver |
| Precious Material: |
| Silver |
| Thread Series Designator: |
| ···· · · · · · · · · · · · · · · · · · |
| Unc mounting facility hole |
| _ |
| Unc mounting facility hole |

N/a

NSN 5985-01-194-1639

Waveguide Switch - Page 2 of 2



| | 1 | :. | ~ | 84 | | | | |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

Yes - demil/mli

Fiig:

A158a0