NSN 5985-01-194-3082

Waveguide Adapter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-194-3082

~	~		\sim	
Cross	Sect	ionai	Sna	pe:

Internal, rectangular external, rectangular

Thread Class:

2b single flange second connection facility

Thread Direction:

Right-hand single flange second connection facility

End Application:

An/dsm-162

Tubing Wall Construction Style:

Seamless single tubing segment

Flange Quantity:

Flange Inside Width:

2.000 inches single flange

Flange Inside Height:

1.000 inches single flange

Flange Outside Width:

2.780 inches single flange

Flange Outside Height:

1.780 inches single flange

Flange Depth:

0.225 inches single flange

Flange Connecting Hole Diameter:

0.147 inches single flange second connection facility

Voltage Standing Wave Ratio:

1.25

Coaxial Connector Series Designation:

Connector End Design:

Female

Adapter Length:

2.000 inches

Adapter Height:

1.780 inches

Thready Qty Per Inch (tpi):

32 single flange second connection facility

Waveguide Outside Width:

2.000 inches

Thread Size:

0.138 inches single flange second connection facility

Waveguide Inside Width:

1.872 inches

NSN 5985-01-194-3082 Waveguide Adapter - Page 2 of 2



Waveguide Inside Height:
0.872 inches
Naveguide Outside Height:
1.000 inches
Flange Connecting Facility And Quantity:
4 unthreaded hole single flange second connection facility
Flange Style:
Contact type single flange
Adapterheight:
3.900 inches
Adapterwidth:
2.780 inches
Material:
Aluminum alloy all tubing segment and flange
Surface Treatment:
Anodize all tubing segment and flange inside surfaces
Style Designator:
Waveguide to coaxial
Thread Series Designator:
Unc single flange second connection facility
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A073a0