NSN 5985-01-194-4301

Fixed Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-194-4301 **Application Design:** Transmission line **Body Material:** Steel, stainless **Body Style:** Err-090 **Body Surface Treatment:** Passivated **Overall Length:** 1.230 inches **Overall Diameter:** Between 0.360 inches and 0.400 inches **Operating Tempurature Range:** -55.0/+105.0 degrees celsius **End Application:** Alq-117 **Voltage Standing Wave Ratio:** 1.35 **Input Impedance Rating In Ohms:** 50.0 **Output Impedance Rating In Ohms:** 50.0 **Coaxial Connector Series Designation:** Sma **Power Rating:** 2.0 watts average and 200.0 watts peak **Rf Signal Attenuation In Decibels:** 8.0 **Voltage Standing Wave Ratio Frequency Range:** +0.0/+18.0 gigahertz **Mounting Method:** Connector **Terminal Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 18.000 gigahertz Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5985-01-194-4301

Fixed Attenuator - Page 2 of 2



Fiig:

A20000