NSN 5985-01-195-7375

Variable Attenuator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5985-01-195-7375 **Application Design:** Transmission line **Body Style:** Coaxial type **Overall Length:** 5.100 inches **Overall Height:** 1.700 inches **Overall Width:** 2.900 inches **Voltage Standing Wave Ratio:** 1.35 and 1.70 **Coaxial Connector Series Designation:** Sma **Power Rating:** 1.0 watts average and 100.0 watts peak **Insertion Loss At Minimum Attenuation In Maximum Decibels:** 0.40 **Overall Attenuation Range In Decibels:** +0.0/+70.0 **Attenuation Variation Method:** Stepped **Step Position Quantity: Attenuation Per Step In Decibels:** 10.0 **Mounting Facility Type And Quantity:** 2 connector Frequency Range: Between 0.000 hertz and 18.000 gigahertz **Overall Attenuation Accuracy In Decibels:** -0.10/+0.10 **Adjustment Device Type And Quantity:** 1 knob **Terminal Type And Quantity:** 2 connector, coaxial, female Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5985-01-195-7375

Variable Attenuator - Page 2 of 2



Fiig:

A223a0