

View Online at <https://aerobasegroup.com/nsn/5985-01-200-2787>

**Cross Sectional Shape:**

Internal, rectangular external, rectangular

**Thread Class:**

2b first flange all connection facilities

**Thread Direction:**

Right-hand first flange all connection facilities

**Tubing Wall Construction Style:**

Seamless single tubing segment

**Flange Quantity:**

2

**Flange Inside Width:**

0.747 inches first flange and 0.753 inches first flange

**Flange Inside Height:**

0.372 inches second flange and 0.378 inches second flange

**Flange Outside Width:**

1.485 inches second flange and 1.515 inches second flange

**Flange Outside Height:**

1.485 inches second flange and 1.515 inches second flange

**Flange Inside Diameter:**

1.126 inches first flange and 1.156 inches first flange

**Flange Depth:**

0.485 inches second flange and 0.515 inches second flange

**Flange Connecting Hole Diameter:**

0.144 inches second flange all connection facilities and 0.147 inches second flange all connection facilities

**Voltage Standing Wave Ratio:**

1.10

**Insertion Loss In Decibels:**

0.35

**Maximum Operating Pressure:**

10.0 pounds per square inch gage

**Waveguide Outside Width:**

Between 0.847 inches and 0.853 inches

**Thread Size:**

0.138 inches first flange all connection facilities

**Waveguide Inside Width:**

Between 0.747 inches and 0.753 inches

**Waveguide Inside Height:**

Between 0.372 inches and 0.378 inches

**Waveguide Outside Height:**

Between 0.472 inches and 0.478 inches

**Flange Connecting Facility And Quantity:**

4 unthreaded hole second flange all connection facilities

**Flange Style:**

Cover type second flange

**Waveguide Length:**

24.000 inches

**Flexibility:**

Flexible single tubing segment

**Material:**

Copper alloy all tubing segment and flange

**Precious Material And Location:**

Internal surfaces silver

**Precious Material:**

Silver

**Surface Treatment:**

Silver all tubing segment and flange inside surfaces

**Style Designator:**

Straight type

**Thread Series Designator:**

Unc first flange all connection facilities

**Fsc Application Data:**

Antennas, waveguides, and related equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A073a0